



CERTIFICATE OF CONFORMITY

SAI Global hereby grants:

AVK Australia Holding Pty Ltd

ABN 11 081 236 777

559A Grand Junction Road, Wingfield, SA 5013, Australia

WaterMark Certificate of Conformity

Evaluated to:

AS/NZS 2638.1:2011 - Gate valves for waterworks purposes - Metal seated

& AS/NZS 2638.2:2011 - Gate valves for waterworks purposes - Resilient seated

"the WaterMark Licensee" the right to use or arrange the use of the WATERMARK as shown below only in respect of the goods described and detailed on the product schedule identified on www.saiglobal.com which are produced by the WaterMark Licensee or on behalf of the WaterMark Licensee* and which comply with the appropriate Standard referred to above as from time to time amended. The Licence is granted subject to the rules governing the use of the WATERMARK and the Terms and Conditions for certification. The WaterMark Licensee covenants to comply with all the Rules and Terms and Conditions.

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

Certificate No: WMKA02420

Issued : 23 January 2021

Expires : 9 December 2024

Originally Certified : 10 December 2014

Current Certification : 22 January 2021

Frank Camatsa
Global Head of Technical Services
SAI Global Assurance



WaterMark



ABCB

* For details of manufacture, refer to the licensee

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.



SAI GLOBAL

INFORM. INSPIRE. IMPROVE.

SCHEDULE TO CERTIFICATE OF CONFORMITY

SAI Global hereby grants :

AVK Australia Holding Pty Ltd

559A Grand Junction Road, Wingfield, SA 5013, Australia

WaterMark Certificate of Conformity

Evaluated to:

AS/NZS 2638.2:2011 - Gate valves for waterworks purposes - Resilient seated

Model identification of the goods on which the WATERMARK may be used:

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
2055/74	RSGV	Sureflow	DN600 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 600	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	13 Feb 2020
2055/74	RSGV	Sureflow	DN500 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 500	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	13 Feb 2020
2055/74	RSGV	Sureflow	DN450 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 450	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	13 Feb 2020
2055/80	RSGV	Sureflow	DN600 Resilient Seated Gate Valve with DN150 Bypass valve	Resilient Seated Gate Valve	DN 600	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	13 Feb 2020
2570/50	RSGV	Sureflow	DN80 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 80	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
2570/50	RSGV	Sureflow	DN100 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 100	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
2570/50	RSGV	Sureflow	DN150 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 150	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
2570/50	RSGV	Sureflow	DN200 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 200	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
2570/50	RSGV	Sureflow	DN250 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 250	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
2570/50	RSGV	Sureflow	DN300 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 300	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
2570/50	RSGV	Sureflow	DN375 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 375	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020

Certificate No: WMKA02420

Issued Date: 23 January 2021

This schedule supersedes all previously issued schedules



* For details of manufacture, refer to the licensee

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
2570/50	RSGV	Sureflow	DN225 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 225	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/50] 2/Handwheel [2570/58] 3/Gearbox [2570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
2570/60	RSGV	Sureflow	DN300 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 300	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68] 3/Gearbox [2570/62]	Option of CC or ACC	Spigot x Spigo	13 Feb 2020
2570/60	RSGV	Sureflow	DN250 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 250	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68] 3/Gearbox [2570/62]	Option of CC or ACC	Spigot x Spigo	13 Feb 2020
2570/60	RSGV	Sureflow	DN225 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 225	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68] 3/Gearbox [2570/62]	Option of CC or ACC	Spigot x Spigo	13 Feb 2020
2570/60	RSGV	Sureflow	DN200 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 200	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68] 3/Gearbox [2570/62]	Option of CC or ACC	Spigot x Spigot	13 Feb 2020
2570/60	RSGV	Sureflow	DN150 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 150	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68] 3/Gearbox [2570/62]	Option of CC or ACC	Spigot x Spigot	13 Feb 2020
2570/60	RSGV	Sureflow	DN100 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 100	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68] 3/Gearbox [2570/62]	Option of CC or ACC	Spigot x Spigot	13 Feb 2020
2570/60	RSGV	Sureflow	DN080 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN080	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/60] 2/Handwheel [2570/68] 3/Gearbox [2570/62]	Option of CC or ACC	Spigot x Spigo	13 Feb 2020
2570/70	RSGV	Sureflow	DN100 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 100	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/70] 2/Handwheel [2570/78] 3/Gearbox [2570/72]	Option of CC or ACC	Flange x Socket	13 Feb 2020
2570/70	RSGV	Sureflow	DN150 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 150	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/70] 2/Handwheel [2570/78] 3/Gearbox [2570/72]	Option of CC or ACC	Flange x Socket	13 Feb 2020
2570/70	RSGV	Sureflow	DN080 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 80	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/70] 2/Handwheel [2570/78] 3/Gearbox [2570/72]	Option of CC or ACC	Flange x Socket	13 Feb 2020
2570/90	RSGV	Sureflow	DN080 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 80	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
2570/90	RSGV	Sureflow	DN200 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 200	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
2570/90	RSGV	Sureflow	DN100 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 100	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
2570/90	RSGV	Sureflow	DN150 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 150	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
2570/90	RSGV	Sureflow	DN250 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 250	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020

Certificate No: WMKA02420

Issued Date: 23 January 2021

This schedule supersedes all previously issued schedules



Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
2570/90	RSGV	Sureflow	DN375 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 375	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
2570/90	RSGV	Sureflow	DN300 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 300	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
2570/90	RSGV	Sureflow	DN400 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 400	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
2570/90	RSGV	Sureflow	DN225 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 225	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/90] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
2570/96	RSGV	Sureflow	DN100 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 100	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	Option of CC or ACC	FlangexFlange OS&Y	13 Feb 2020
2570/96	RSGV	Sureflow	DN225 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 225	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	Option of CC or ACC	FlangexFlange OS&Y	13 Feb 2020
2570/96	RSGV	Sureflow	DN250 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 250	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	Option of CC or ACC	FlangexFlange OS&Y	13 Feb 2020
2570/96	RSGV	Sureflow	DN300 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 300	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	Option of CC or ACC	Flange x Flange OS&Y	13 Feb 2020
2570/96	RSGV	Sureflow	DN150 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 150	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	Option of CC or ACC	FlangexFlange OS&Y	13 Feb 2020
2570/96	RSGV	Sureflow	DN080 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 080	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	Option of CC or ACC	FlangexFlange OS&Y	13 Feb 2020
2570/96	RSGV	Sureflow	DN200 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 200	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [2570/96]	Option of CC or ACC	FlangexFlange OS&Y	13 Feb 2020
55/74	RSGV	AVK	DN500 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 500	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/98] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
55/74	RSGV	AVK	DN450 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 450	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/98] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
55/74	RSGV	AVK	DN600 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 600	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/98] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
55/80	RSGV	AVK	DN600 Resilient Seated Gate Valve with DN150 Bypass valve	Resilient Seated Gate Valve	DN 600	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [2570/98] 2/Handwheel [2570/98] 3/Gearbox [2570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
570/50	RSGV	AVK	DN100 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 100	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
570/50	RSGV	AVK	DN375 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 375	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
570/50	RSGV	AVK	DN225 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 225	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
570/50	RSGV	AVK	DN200 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 200	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
570/50	RSGV	AVK	DN150 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 150	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
570/50	RSGV	AVK	DN080 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 80	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020

Certificate No: WMKA02420

Issued Date: 23 January 2021

This schedule supersedes all previously issued schedules



Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
570/50	RSGV	AVK	DN300 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 300	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
570/50	RSGV	AVK	DN250 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 250	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/50] 2/Handwheel [570/58] 3/Gearbox [570/52]	Option of CC or ACC	Socket x Socket	13 Feb 2020
570/60	RSGV	AVK	DN150 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 150	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigot	13 Feb 2020
570/60	RSGV	AVK	DN300 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 300	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigo	13 Feb 2020
570/60	RSGV	AVK	DN100 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 100	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigot	13 Feb 2020
570/60	RSGV	AVK	DN200 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 200	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigot	13 Feb 2020
570/60	RSGV	AVK	DN080 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN080	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigo	13 Feb 2020
570/60	RSGV	AVK	DN250 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 250	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigo	13 Feb 2020
570/60	RSGV	AVK	DN225 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 225	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/60] 2/Handwheel [570/68] 3/Gearbox [570/62]	Option of CC or ACC	Spigot x Spigo	13 Feb 2020
570/70	RSGV	AVK	DN080 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 80	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/70] 2/Handwheel [570/78] 3/Gearbox [570/72]	Option of CC or ACC	Flange x Socket	13 Feb 2020
570/70	RSGV	AVK	DN100 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 100	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/70] 2/Handwheel [570/78] 3/Gearbox [570/72]	Option of CC or ACC	Flange x Socket	13 Feb 2020
570/70	RSGV	AVK	DN150 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 150	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/70] 2/Handwheel [570/78] 3/Gearbox [570/72]	Option of CC or ACC	Flange x Socket	13 Feb 2020
570/90	RSGV	AVK	DN080 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 80	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
570/90	RSGV	AVK	DN400 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 400	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
570/90	RSGV	AVK	DN100 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 100	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
570/90	RSGV	AVK	DN150 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 150	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020

Certificate No: WMKA02420

Issued Date: 23 January 2021

This schedule supersedes all previously issued schedules



Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
570/90	RSGV	AVK	DN200 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 200	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
570/90	RSGV	AVK	DN225 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 225	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
570/90	RSGV	AVK	DN250 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 250	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
570/90	RSGV	AVK	DN300 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 300	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
570/90	RSGV	AVK	DN375 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 375	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap [570/90] 2/Handwheel [570/98] 3/Gearbox [570/92]	Option of CC or ACC	Flange x Flange	13 Feb 2020
570/96	RSGV	AVK	DN300 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 300	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	Option of CC or ACC	Flange x Flange OS&Y	13 Feb 2020
570/96	RSGV	AVK	DN250 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 250	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	Option of CC or ACC	Flange x Flange OS&Y	13 Feb 2020
570/96	RSGV	AVK	DN225 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 225	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	Option of CC or ACC	Flange x Flange OS&Y	13 Feb 2020
570/96	RSGV	AVK	DN200 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 200	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	Option of CC or ACC	Flange x Flange OS&Y	13 Feb 2020
570/96	RSGV	AVK	DN150 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 150	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	Option of CC or ACC	Flange x Flange OS&Y	13 Feb 2020
570/96	RSGV	AVK	DN100 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 100	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	Option of CC or ACC	Flange x Flange OS&Y	13 Feb 2020
570/96	RSGV	AVK	DN080 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 080	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Handwheel [570/96]	Option of CC or ACC	Flange x Flange OS&Y	13 Feb 2020
S2570/42-450	S2570	Sureflow	DN450 Resilient Seated Gate Valve With DN100&DN150 Bypass	Resilient Seated Gate Valve	DN 450	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	2 May 2020
S2570/42-500	S2570	Sureflow	DN500 Resilient Seated Gate Valve With DN100&DN150 Bypass	Resilient Seated Gate Valve	DN 500	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	2 May 2020
S2570/42-600	S2570	Sureflow	DN600 Resilient Seated Gate Valve with DN100&DN150 Bypass valve	Resilient Seated Gate Valve	DN 600	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	2 May 2020
S2570/42-750	S2570	Sureflow	DN750 Resilient Seated Gate Valve With DN150 Bypass	Resilient Seated Gate Valve	DN 750	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	1 Oct 2020
S2570/92-450	S2570	Sureflow	DN450 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 450	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	2 May 2020
S2570/92-500	S2570	Sureflow	DN500 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 500	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	2 May 2020
S2570/92-600	S2570	Sureflow	DN600 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 600	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	2 May 2020
S2570/92-750	S2570	Sureflow	DN750 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 750	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	1 Oct 2020
S2580/92-375	S2580	Sureflow	S2580 DN375 Metal Seated Gate Valve	Metal Seated Gate Valve	DN 375	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	21 Aug 2020
S2580/92-450	S2580	Sureflow	S2580 DN450 Metal Seated Gate Valve	Metal Seated Gate Valve	DN 450	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	21 Aug 2020
S2580/92-500	S2580	Sureflow	S2580 DN500 Metal Seated Gate Valve	Metal Seated Gate Valve	DN 500	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	21 Aug 2020
S2580/92-600	S2580	Sureflow	S2580 DN600 Metal Seated Gate Valve	Metal Seated Gate Valve	DN 600	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	21 Aug 2020
S2580/93-375	S2580	Sureflow	S2580 DN375 Metal Seated Gate Valve With DN100 Bypass	Metal Seated Gate Valve	DN 375	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	21 Aug 2020

Certificate No: WMKA02420

Issued Date: 23 January 2021

This schedule supersedes all previously issued schedules



Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Valve Class (Allowable Operating Pressure)	Maximum Operating Temperature (°C)	Material Designation	Valve Coating Material	Valve Operating Method	Valve Direction of Closure	End Connection Designation	Date Endorsed
S2580/93-450	S2580	Sureflow	S2580 DN450 Metal Seated Gate Valve With DN100 Bypass	Metal Seated Gate Valve	DN 450	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	21 Aug 2020
S2580/93-500	S2580	Sureflow	S2580 DN500 Metal Seated Gate Valve With DN150 Bypass	Metal Seated Gate Valve	DN 500	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	21 Aug 2020
S2580/93-600	S2580	Sureflow	S2580 DN600 Metal Seated Gate Valve with DN150 Bypass valve	Metal Seated Gate Valve	DN 600	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	21 Aug 2020
S570/42-450	S570	AVK	DN450 Resilient Seated Gate Valve With DN100&DN150 Bypass	Resilient Seated Gate Valve	DN 450	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	2 May 2020
S570/42-500	S570	AVK	DN500 Resilient Seated Gate Valve With DN100&DN150 Bypass	Resilient Seated Gate Valve	DN 500	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	2 May 2020
S570/42-600	S570	AVK	DN600 Resilient Seated Gate Valve with DN100&DN150 Bypass valve	Resilient Seated Gate Valve	DN 600	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	2 May 2020
S570/42-750	S570	AVK	DN750 Resilient Seated Gate Valve With DN150 Bypass	Resilient Seated Gate Valve	DN 750	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	1 Oct 2020
S570/92-450	S570	AVK	DN450 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 450	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	2 May 2020
S570/92-500	S570	AVK	DN500 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 500	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	2 May 2020
S570/92-600	S570	AVK	DN600 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 600	16	70°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	2 May 2020
S570/92-750	S570	AVK	DN750 Resilient Seated Gate Valve	Resilient Seated Gate Valve	DN 750	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	1 Oct 2020
S580/92-375	S580	AVK	S580 DN375 Metal Seated Gate Valve	Metal Seated Gate Valve	DN 375	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	21 Aug 2020
S580/92-450	S580	AVK	S580 DN450 Metal Seated Gate Valve	Metal Seated Gate Valve	DN 450	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	21 Aug 2020
S580/92-500	S580	AVK	S580 DN500 Metal Seated Gate Valve	Metal Seated Gate Valve	DN 500	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	21 Aug 2020
S580/92-600	S580	AVK	S580 DN600 Metal Seated Gate Valve	Metal Seated Gate Valve	DN 600	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	21 Aug 2020
S580/93-375	S580	AVK	S580 DN375 Metal Seated Gate Valve With DN100 Bypass	Metal Seated Gate Valve	DN 375	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange	21 Aug 2020
S580/93-450	S580	AVK	S580 DN450 Metal Seated Gate Valve With DN100 Bypass	Metal Seated Gate Valve	DN 450	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	21 Aug 2020
S580/93-500	S580	AVK	S580 DN500 Metal Seated Gate Valve With DN150 Bypass	Metal Seated Gate Valve	DN 500	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	21 Aug 2020
S580/93-600	S580	AVK	S580 DN600 Metal Seated Gate Valve with DN150 Bypass valve	Metal Seated Gate Valve	DN 600	16	40°C	Ductile Cast Iron	Polymeric to AS 4158	Option of 1/Stemcap 2/Handwheel 3/Gearbox	Option of CC or ACC	Flange x Flange Bypass	21 Aug 2020

AS/NZS 2638.1:2011 - Gate valves for waterworks purposes - Metal seated

Model identification of the goods on which the WATERMARK may be used:

Model Identification	Model Name	Brand Name	Nominal Size	Product Description	Product Type	Valve class (Allowable Operating Pressure)	Max Operating Temperature	End Connection Designation	Date Endorsed
2580/8X-DN080	2580	Sureflow	DN080	2580 series Polymeric coated Metal Seated Gate Option Y = 0 (Stem Cap) Y = 2 (Gearbox) Y = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN80 Flange x DN80 Flange	21 Jan 2021
2580/8X-DN100	2580	Sureflow	DN100	2580 series Polymeric coated Metal Seated Gate Option X = 0 (Stem Cap) X = 2 (Gearbox) X = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN100 Flange x DN100 Flange	21 Jan 2021

Certificate No: WMKA02420

Issued Date: 23 January 2021

This schedule supersedes all previously issued schedules



Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Nominal Size	Product Description	Product Type	Valve class (Allowable Operating Pressure)	Max Operating Temperature	End Connection Designation	Date Endorsed
2580/8X -DN225	2580	Sureflow	DN225	2580 series Polymeric coated Metal Seated Gate Option X = 0 (Stem Cap) X = 2 (Gearbox) X = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN225 Flange x DN225 Flange	21 Jan 2021
2580/8X -DN250	2580	Sureflow	DN250	2580 series Polymeric coated Metal Seated Gate Option X = 0 (Stem Cap) X = 2 (Gearbox) X = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN250 Flange x DN250 Flange	21 Jan 2021
2580/8X -DN300	2580	Sureflow	DN300	2580 series Polymeric coated Metal Seated Gate Option X = 0 (Stem Cap) X = 2 (Gearbox) X = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN300 Flange x DN300 Flange	21 Jan 2021
580/8X -DN080	580	AVK	DN080	580 series Polymeric coated Metal Seated Gate Option X = 0 (Stem Cap) X = 2 (Gearbox) X = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN80 Flange x DN80 Flange	21 Jan 2021
580/8X -DN100	580	AVK	DN100	580 series Polymeric coated Metal Seated Gate Option X = 0 (Stem Cap) X = 2 (Gearbox) X = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN100 Flange x DN100 Flange	21 Jan 2021
580/8X -DN150	580	AVK	DN150	580 series Polymeric coated Metal Seated Gate Option X = 0 (Stem Cap) X = 2 (Gearbox) X = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN150 Flange x DN150 Flange	21 Jan 2021
580/8X -DN200	580	AVK	DN200	580 series Polymeric coated Metal Seated Gate Option X = 0 (Stem Cap) X = 2 (Gearbox) X = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN200 Flange x DN200 Flange	21 Jan 2021
580/8X -DN225	580	AVK	DN225	580 series Polymeric coated Metal Seated Gate Option X = 0 (Stem Cap) X = 2 (Gearbox) X = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN225 Flange x DN225 Flange	21 Jan 2021
580/8X -DN250	580	AVK	DN250	580 series Polymeric coated Metal Seated Gate Option X = 0 (Stem Cap) X = 2 (Gearbox) X = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN250 Flange x DN250 Flange	21 Jan 2021
580/8X -DN300	580	AVK	DN300	580 series Polymeric coated Metal Seated Gate Option X = 0 (Stem Cap) X = 2 (Gearbox) X = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN300 Flange x DN300 Flange	21 Jan 2021
2580/8X -DN150	2580	Sureflow	DN150	2580 series Polymeric coated Metal Seated Gate Option X = 0 (Stem Cap) X = 2 (Gearbox) X = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN150 Flange x DN150 Flange	21 Jan 2021
2580/8X -DN200	2580	Sureflow	DN200	2580 series Polymeric coated Metal Seated Gate Option X = 0 (Stem Cap) X = 2 (Gearbox) X = 8 (Handwheel)	Metal Seated Gate Valve	PN35	40°C	DN200 Flange x DN200 Flange	21 Jan 2021
2580/90 2580/92 2580/98		Sureflow	DN 200	DN200 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
2580/90 2580/92 2580/98		Sureflow	DN 150	DN150 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
2580/90 2580/92 2580/98		Sureflow	DN 300	DN300 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
2580/90 2580/92 2580/98		Sureflow	DN 080	DN080 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
2580/90 2580/92 2580/98		Sureflow	DN 100	DN100 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
2580/90 2580/92 2580/98		Sureflow	DN 225	DN225 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
2580/90 2580/92 2580/98		Sureflow	DN 250	DN250 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
580/90 580/92 580/98		AVK	DN 150	DN150 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
580/90 580/92 580/98		AVK	DN 250	DN250 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
580/90 580/92 580/98		AVK	DN 080	DN080 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
580/90 580/92 580/98		AVK	DN 100	DN100 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
580/90 580/92 580/98		AVK	DN 300	DN300 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
580/90 580/92 580/98		AVK	DN 200	DN200 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
580/90 580/92 580/98		AVK	DN 225	DN225 Metal Seated Gate Valve	Metal Seated Gate Valve	16	70°C	Flange x Flange	13 Feb 2020
A0412/2-039 DN100		AVK	DN 100	DN100 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Socket x Socket	13 Feb 2020
A0412/2-040 DN150		AVK	DN 150	DN150 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Socket x Socket	13 Feb 2020

Certificate No: WMKA02420

Issued Date: 23 January 2021

This schedule supersedes all previously issued schedules



Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Nominal Size	Product Description	Product Type	Valve class (Allowable Operating Pressure)	Max Operating Temperature	End Connection Designation	Date Endorsed
A0412/2-041 DN200		AVK	DN 200	DN200 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Socket x Socket	13 Feb 2020
A0412/2-042 DN225		AVK	DN 225	DN225 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Socket x Socket	13 Feb 2020
A0412/2-043 DN250		AVK	DN 250	DN250 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Socket x Socket	13 Feb 2020
A0412/2-044 DN100		AVK	DN 100	DN100 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Spigot x Spigot	13 Feb 2020
A0412/2-045 DN150		AVK	DN 150	DN150 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Spigot x Spigot	13 Feb 2020
A0412/2-046 DN80		AVK	DN 80	DN80 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-047 DN100		AVK	DN 100	DN100 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-048 DN150		AVK	DN 150	DN150 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-049 DN200		AVK	DN 200	DN200 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-050 DN225		AVK	DN 225	DN225 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-051 DN250		AVK	DN 250	DN250 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-052 DN300		AVK	DN 300	DN300 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-053 DN375		AVK	DN 375	DN375 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-054 DN450		AVK	DN 450	DN450 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-055 DN500		AVK	DN 500	DN500 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-056 DN600		AVK	DN 600	DN600 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-057 DN750		AVK	DN 750	DN750 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-065 DN80		AVK	DN 80	DN80 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-066 DN100		AVK	DN 100	DN100 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-067 DN150		AVK	DN 150	DN150 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-068 DN200		AVK	DN 200	DN200 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-069 DN225		AVK	DN 225	DN225 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-070 DN250		AVK	DN 250	DN250 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-071 DN300		AVK	DN 300	DN300 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-072 DN375		AVK	DN 375	DN375 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-073 DN450		AVK	DN 450	DN450 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-074 DN500		AVK	DN 500	DN500 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-075 DN600		AVK	DN 600	DN600 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-076 DN750		AVK	DN 750	DN750 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-078 DN100		AVK	DN 100	DN100 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Victaulic x Victaulic	13 Feb 2020
A0412/2-079 DN150		AVK	DN 150	DN150 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Victaulic x Victaulic	13 Feb 2020
A0412/2-095 DN375		AVK	DN 375	DN375 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-096 DN375		AVK	DN 375	DN375 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-097 DN500		AVK	DN 500	DN500 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-098 DN500		AVK	DN 500	DN500 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-099 DN600		AVK	DN 600	DN600 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-100 DN600		AVK	DN 600	DN600 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-101 DN750		AVK	DN 750	DN750 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-102 DN750		AVK	DN 750	DN750 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-103 DN450		AVK	DN 450	DN450 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-104 DN450		AVK	DN 450	DN450 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
A0412/2-109 DN900		AVK	DN 900	DN900 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-112 DN900		AVK	DN 900	DN900 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020

Certificate No: WMKA02420

Issued Date: 23 January 2021

This schedule supersedes all previously issued schedules



Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.sai-global.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Nominal Size	Product Description	Product Type	Valve class (Allowable Operating Pressure)	Max Operating Temperature	End Connection Designation	Date Endorsed
A0412/2-115 DN900		AVK	DN 900	DN900 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
A0412/2-116 DN900		AVK	DN 900	DN900 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-039 DN100		Sureflow	DN 100	DN100 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Socket x Socket	13 Feb 2020
S0412/2-040 DN150		Sureflow	DN 150	DN150 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Socket x Socket	13 Feb 2020
S0412/2-041 DN200		Sureflow	DN 200	DN200 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Socket x Socket	13 Feb 2020
S0412/2-042 DN225		Sureflow	DN 225	DN225 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Socket x Socket	13 Feb 2020
S0412/2-043 DN250		Sureflow	DN 250	DN250 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Socket x Socket	13 Feb 2020
S0412/2-044 DN100		Sureflow	DN 100	DN100 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Spigot x Spigot	13 Feb 2020
S0412/2-045 DN150		Sureflow	DN 150	DN150 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Spigot x Spigot	13 Feb 2020
S0412/2-046 DN80		Sureflow	DN 80	DN80 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-047 DN100		Sureflow	DN 100	DN100 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-048 DN150		Sureflow	DN 150	DN150 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-049 DN200		Sureflow	DN 200	DN200 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-050 DN225		Sureflow	DN 225	DN225 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-051 DN250		Sureflow	DN 250	DN250 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-052 DN300		Sureflow	DN 300	DN300 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-053 DN375		Sureflow	DN 375	DN375 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-054 DN450		Sureflow	DN 450	DN450 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-055 DN500		Sureflow	DN 500	DN500 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-056 DN600		Sureflow	DN 600	DN600 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-057 DN750		Sureflow	DN 750	DN750 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-065 DN80		Sureflow	DN 80	DN80 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-066 DN100		Sureflow	DN 100	DN100 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-067 DN150		Sureflow	DN 150	DN150 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-068 DN200		Sureflow	DN 200	DN200 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-069 DN225		Sureflow	DN 225	DN225 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-070 DN250		Sureflow	DN 250	DN250 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-071 DN300		Sureflow	DN 300	DN300 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-072 DN375		Sureflow	DN 375	DN375 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-073 DN450		Sureflow	DN 450	DN450 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-074 DN500		Sureflow	DN 500	DN500 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-075 DN600		Sureflow	DN 600	DN600 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-076 DN750		Sureflow	DN 750	DN750 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-078 DN100		Sureflow	DN 100	DN100 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Victaulic x Victaulic	13 Feb 2020
S0412/2-079 DN150		Sureflow	DN 150	DN150 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Victaulic x Victaulic	13 Feb 2020
S0412/2-095 DN375		Sureflow	DN 375	DN375 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-096 DN375		Sureflow	DN 375	DN375 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-097 DN500		Sureflow	DN 500	DN500 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-098 DN500		Sureflow	DN 500	DN500 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-099 DN600		Sureflow	DN 600	DN600 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-100 DN600		Sureflow	DN 600	DN600 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-101 DN750		Sureflow	DN 750	DN750 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-102 DN750		Sureflow	DN 750	DN750 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020

Certificate No: WMKA02420

Issued Date: 23 January 2021

This schedule supersedes all previously issued schedules



Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Nominal Size	Product Description	Product Type	Valve class (Allowable Operating Pressure)	Max Operating Temperature	End Connection Designation	Date Endorsed
S0412/2-103 DN450		Sureflow	DN 450	DN450 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-104 DN450		Sureflow	DN 450	DN450 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-109 DN900		Sureflow	DN 900	DN900 Metal Seated Gate Valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-112 DN900		Sureflow	DN 900	DN900 Metal Seated Gate Valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020
S0412/2-115 DN900		Sureflow	DN 900	DN900 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	16	40°C	Flange x Flange	13 Feb 2020
S0412/2-116 DN900		Sureflow	DN 900	DN900 Metal Seated Gate Valve with Bypass valve	Metal Seated Gate Valve	35	40°C	Flange x Flange	13 Feb 2020

End of Record

Certificate No: WMKA02420

Issued Date: 23 January 2021

This schedule supersedes all previously issued schedules



Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.